(12) PATENT ABRIDGMENT (11) Document No. AU-B-44620/93 (19) AUSTRALIAN PATENT OFFICE (10) Acceptance No. 671133

(54) Title VISCOELASTIC PERSONAL CARE COMPOSITION

International Patent Classification(s)

(51)[±] A61K 007/48 A61K 007/11

(21) Application No.: 44620/93 (22) Application Date: 12.08.93

(30) Priority Data

(31) Number (32) Date (33) Country 933851 24.08.92 US UNITED STATES OF AMERICA

(43) Publication Date: 03.03.94

(44) Publication Date of Accepted Application: 15.08.96

(71) Applicant(s)
COLGATE-PALMOLIVE COMPANY

(72) Inventor(s)
MICHAEL PRENCIPE; ANGELO ZACCAGNINO

(74) Attorney or Agent F B RICE & CO , 28A Montague Street, BALMAIN NSW 2041

(56) Prior Art Documents US 5202112

(57) Claim

- 1. A linear viscoelastic personal care composition in the form of hair or skin-treating gel with a pH of 4 to 9 comprising a topically acceptable aqueous vehicle, and, in an amount effective to render the composition linearly viscoelastic, a synthetic linearly viscoelastic cross-linked polymeric thickening agent having in a 1 wt.% aqueous solution an elastic or storage modulus G' and a viscous or loss modulus G" substantially independent of frequency in an applied frequency range of 0.1 to 100 radians/sec. a G' minimum value of 1.000 dynes/sq.cm which varies less than 1 order of magnitude of its original value, and a ratio of G"/G' ranging from more than 0.05 to less than 1.
- A method of promoting personal care and hygiene comprising applying to the hair or skin an effective amount of a composition as defined in any one of claims 1 to 6.
- 19. Use of a synthetic linearly viscoelastic cross-linked polymeric thickening agent to manufacture a personal care composition in the form of a hair or skin treating gel with a pH of 4 to 9 comprising a dermatologically acceptable water/humectant vehicle and a dermatologically acceptable abrasive, said polymeric thickening agent being present in an amount effective to render the composition linearly viscoelastic and having in a 1 wt.% aqueous solution an elastic or storage modulus G' and a viscous or loss modulus G" substantially independent of frequency at an applied

(10) 671133

frequency range of 0.1 to 100 radians/sec., a G' minimum value of 1.000 dynes/sq.cm. which varies less than 1 order of magnitude of its original value, and a ratio of G"/G' ranging from more than 0.05 to less than 1.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:-

5

10

15

20

25

30

- 1. A linear viscoelastic personal care composition in the form of hair or skin-treating gel with a pH of 4 to 9 comprising a topically acceptable aqueous vehicle, and, in an amount effective to render the composition linearly viscoelastic, a synthetic linearly viscoelastic cross-linked polymeric thickening agent having in a 1 wt.% aqueous solution an elastic or storage modulus G' and a viscous or loss modulus G" substantially independent of frequency in an applied frequency range of 0.1 to 100 radians/sec. a G' minimum value of 1.000 dynes/sq.cm which varies less than 1 order of magnitude of its original value, and a ratio of G"/G' ranging from more than 0.05 to less than 1.
- 2. A composition according to claim 1 containing by weight. 30 to 98% of water. 0.1% to 5% of a nonionic. anionic or amphoteric surfactant or mixture thereof. and 0.02% to 5% of said polymeric thickening agent containing at least 3% of cross-linking agent.
- 3. A composition according to claim 1 in the form of a hair setting gel containing, by weight, 60% to 98% of water, 0.01% to 5% of a hair setting polymeric material, 0.1% to 5% of a nonionic, anionic or amphoteric surfactant or mixture thereof and 0.02% to 5% of said polymeric thickening agent containing at least 3% of cross-linking agent.
- 4. A composition according to claim 1 in the form of a skin lotion gel containing. Ly weight, 60% to 90% of water, 0.1% to 5% of a nonionic, anionic or amphoteric surfactant or mixture thereof, 5% to 35% of solid emollient material, and 0.02% to 5% of said polymeric thickening agent containing at least 3% of cross-linking agent.
- 5. A composition according to claim 1 in the form of a moisturizing skin cream gel containing, by weight, 40% to 60% of water, 0.1% to 5% of a nonionic, anionic, or amphoteric surfactant or mixture thereof, 10% to 40% of liquid emollient material, 10 to 30% of solid emollient material, and 0.02% to 5% of said polymeric thickening agent containing at least 3% of cross-linking agent.
- 6. A composition according to claim 1 in the form of a hand skin cleaner gel containing 50% to 70% of water. 20% to 40% of a liquid organic solvent, 0.1% to 5% of a nonionic, anionic or amphoteric surfactant or mixture thereof. 5% to 20% of a dermatologically acceptable skin abrasive.